

Rating Table 1.01 01/01/1958 to Present C.T.F. = 0.0200

100 Stream Water Level in Metres

140 Stream Discharge in Cubic Metres/Second

G.H.	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.00	0.0	0.0	0.0	0.00634	0.0149	0.0280	0.0415	0.0564	0.0759	0.0980
0.10	0.120	0.145	0.175	0.205	0.240	0.280	0.317	0.357	0.400	0.448
0.20	0.500	0.540	0.591	0.644	0.700	0.749	0.800	0.857	0.916	0.978
0.30	1.04	1.11	1.18	1.25	1.32	1.40	1.48	1.56	1.65	1.73
0.40	1.81	1.90	1.98	2.07	2.15	2.25	2.35	2.45	2.55	2.66
0.50	2.77	2.88	3.00	3.10	3.20	3.30	3.40	3.50	3.60	3.70
0.60	3.81	3.92	4.03	4.15	4.26	4.38	4.50	4.62	4.75	4.87
0.70	5.00	5.12	5.24	5.36	5.49	5.61	5.74	5.87	6.00	6.15
0.80	6.30	6.45	6.60	6.72	6.83	6.95	7.07	7.19	7.31	7.43
0.90	7.55	7.68	7.80	7.93	8.06	8.19	8.33	8.46	8.60	8.74
1.00	8.88	9.02	9.16	9.31	9.45	9.60	9.74	9.87	10.0	10.2
1.10	10.3	10.4	10.6	10.7	10.9	11.0	11.1	11.3	11.4	11.6
1.20	11.7	11.9	12.0	12.2	12.3	12.5	12.6	12.7	12.8	12.9
1.30	13.0	13.2	13.3	13.5	13.6	13.8	13.9	14.1	14.2	14.4
1.40	14.5	14.7	14.8	15.0	15.2	15.3	15.5	15.7	15.8	16.0
1.50	16.2	16.3	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6
1.60	17.7	17.9	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1
1.70	19.2	19.4	19.5	19.7	19.8	20.0	20.2	20.4	20.6	20.8
1.80	21.0	21.2	21.3	21.5	21.6	21.8	22.0	22.1	22.3	22.4
1.90	22.6	22.8	22.9	23.1	23.3	23.4	23.6	23.8	23.9	24.1
2.00	24.3	24.4	24.6	24.8	25.0	25.1	25.3	25.5	25.7	25.8
2.10	26.0	26.2	26.3	26.5	26.7	26.8	27.0	27.2	27.3	27.5
2.20	27.7	27.8	28.0	28.2	28.3	28.5	28.7	28.9	29.0	29.2
2.30	29.4	29.6	29.7	29.9	30.1	30.3	30.4	30.6	30.8	31.0
2.40	31.2	31.3	31.5	31.7	31.9	32.1	32.3	32.4	32.6	32.8
2.50	33.0	33.2	33.4	33.5	33.7	33.9	34.1	34.3	34.4	34.6
2.60	34.8	35.0	35.2	35.3	35.5	35.7	35.9	36.1	36.3	36.5
2.70	36.7	36.8	37.0	37.2	37.4	37.6	37.8	38.0	38.2	38.4
2.80	38.6	38.8	39.0	39.1	39.3	39.5	39.7	39.9	40.1	40.3
2.90	40.5	40.7	40.9	41.1	41.3	41.5	41.7	41.9	42.1	42.4
3.00	42.6	42.8	43.0	43.2	43.4	43.6	43.8	44.0	44.2	44.4
3.10	44.6	44.9	45.1	45.3	45.5	45.7	45.9	46.1	46.4	46.6
3.20	46.8	47.0	47.2	47.5	47.7	47.9	48.1	48.3	48.6	48.8
3.30	49.0	49.4	49.8	50.2	50.5	50.9	51.3	51.7	52.1	52.5
3.40	52.9	53.3	53.7	54.1	54.5	54.9	55.3	55.7	56.1	56.5
3.50	56.9	57.4	57.8	58.2	58.6	59.0	59.5	59.9	60.3	60.7
3.60	61.2	61.6	62.1	62.5	62.9	63.4	63.8	64.3	64.7	65.2

Civil Engineering, University of NSW

HYRATAB V97 Output 14/09/2001

Station 213304

Rating Table 1.01 01/01/1958 to Present C.T.F. = 0.0200

100 Stream Water Level in Metres

140 Stream Discharge in Cubic Metres/Second

G.H.	0	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
3.70	65.6	66.1	66.5	67.0	67.4	67.9	68.3	68.8	69.3	69.7
3.80	70.2	70.7	71.2	71.6	72.1	72.6	73.1	73.6	74.0	74.5
3.90	75.0	75.5	76.0	76.5	77.0	77.5	78.0	78.5	79.0	79.5
4.00	80.0									

----- Notes -----  
 All rated data has been coded as reliable

strathfield.txt